华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-1 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A182 F316 MDS S14 Rev.1 NORSOK M-630 2020	
Manufacturing Summary doc No.:	YZHY-MPS-08	Rev. No.: 1
Products and manufacturing process(es):	Forged Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RX-180-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Forged Fittings ASTM A182 F316	HC251023026	13.84	15.22	8.89	17.78

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address): SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	Signature/Date: 2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200021

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-2 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM B564 UNS N06625 MDS N14 Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-08	Rev. No.: 01
Products and manufacturing process(es):	Forged Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RX-180-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Forged Fittings ASTM B564 UNS N06625	HC251023033	13.84	15.22	8.89	17.78

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address): SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	Signature/Date: 2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200022

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-3 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A860 WPHY 65 MDS CH63/CH63S/CH63SH Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-04	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other Information:	Heat Treatment performed on RT4-80-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A860 WPHY 65	HC251030006	32	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address): SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	Signature/Date: 2025-11-26

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200023

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-4 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A350 LF2 MDS C44/C44S Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-08	Rev. No.: 01
Products and manufacturing process(es):	Forged Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RT4-80-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Forged Fittings ASTM A350 LF2	HC251023027	13.84	15.22	8.89	17.78

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

SGS CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200024

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-5 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A815 S31803 MDS 43 Rev.6; MDS H43 Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-06	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RQX-1800-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A815 S31803	HC251023028	33	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.
This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address): SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	Signature/Date: 2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200025

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-6 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A815 S32205 MDS 43 Rev.6; MDS H43 Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-01	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RQX-1800-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A815 S32205	HC251023029	33	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address): SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	Signature/Date: 2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200026

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-7 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A815 S32750 MDS 53 Rev.6; MDS H53 Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-01	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RQX-1800-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A815 S32750	HC251023030	33	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

SGS INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200027

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-8 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A815 S32760 MDS 53 Rev.6; MDS H53 Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-01	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RQX-1800-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A815 S32760	HC251023031	33	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200028

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-9 Rev. No.:0
Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A403 WP316 MDS S13 Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-01	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RX-180-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A403 WP316	HC251023034	32	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

SGS-CSTC STANDARDS TECHNICAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200029

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-10 Rev. No.:0
Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A234 WPB MDS C33/C33H/C33SH Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-04	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RT11-800-11 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A234 WPB	HC251023035	32	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf.
The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER
21200030

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-11 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A234 WPBW MDS C33/C33H/C33SH Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-05	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RT11-800-11 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A234 WPBW	HC251023036	25	31.25	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address): SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	Signature/Date: 2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200031

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-12 Rev. No.:0

Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A420 WPL6 MDS C43/C43H/C43SH Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-04	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RT11-800-11 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A420 WPL6	HC251023037	32	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER 21200032

华宇管件 HUAYU PIPE FITTING	**Qualification Test Record (QTR) NORSOK M-650**	QTR. No.: SHINIPC2500678-13 Rev. No.:0
Manufacturer name/address/ Web page:	Yangzhou Huayu Pipe Fitting Co., Ltd. No.99, Baoying Street, Baoying County, Yangzhou City, Jiangsu Province, P.R.China No.579, Hexiang Road Baoying County, Yangzhou city, Jiangsu Province,P. R. China	
Reference standard	NORSOK M-650, Edition 4, September 2011	
Material designation and MDS No.:	ASTM A860 WPHY 60 MDS CH63/CH63S/CH63SH Rev.1 NORSOK M-630 :2020	
Manufacturing Summary doc. No.:	YZHY-MPS-07	Rev. No.: 01
Products and manufacturing process(es):	Wrought Fittings	
Mandatory conditions and sub-contractors:	• Heat treatment by: Yangzhou Huayu Pipe Fitting Co., Ltd. • Test Laboratory: Hongchen Testing Technology (Registration No. CNAS L19380).	
Other information:	Heat Treatment performed on RT4-80-12 furnace	
Qualification expires:	2030-11-16	

Tested and qualified thickness and weight

Products and manufacturing process(es):	Test record No.	Tested thickness mm	Qualified thickness mm	Test piece weight kg	Qualified weight kg
Wrought Fittings ASTM A860 WPHY 60	HC251030005	32	40	N/A	N/A

Qualification/acceptance signatures

Manufacturer:	Prepared by/Date:	Checked by/Date:
Yangzhou Huayu Pipe Fitting Co., Ltd.		

The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.

This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.

Qualified/Accepted by (company name /address):	Signature/Date:
SGS-CSTC Standards Technical Services Co., Ltd. 16F Century Yu Hui Mansion No.73, Fu Cheng Road Beijing CHINA.100142	2025-11-26

SGS-CSTC INDUSTRIAL SERVICES SGS 01

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf. The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.